

VERSAN RTU

DISINFECTANT SPRAY FOR THE FOOD INDUSTRY

- Bactericidal, Fungicidal, Yeasticidal, Virucidal ready to use spray
- Broad spectrum surface disinfectant for use in the food industry
- Sodium hypochlorite based
- Active against a wide range of pathogens including Candida Albicans and Clostridium Difficile

USES

A highly effective disinfectant spray which can be used on a range of hard surfaces, including general hard surfaces such as floors and walls.

May be used as a disinfectant in the milk and meat industry against a broad range of organisms.

Can also be used to soak equipment (non-metal) such as chopping boards, containers, plastic utensils, etc.

DIRECTIONS


Use undiluted.

Application rate: 50 g/m³ once or twice daily in general use.
1-2 times/hour in busy areas.

Fields of use: Indoor and/or outdoor.

For surfaces which are heavily soiled, first clean with a degreaser, such as UBIK 2000 and rinse thoroughly. Apply 'Versan RTU' at the correct dilution.

Allow 5 minute contact time (30 minutes for sporicidal action).
Wash away with potable water.






Use disinfectants safely. Always read the label and product information before use. Store in a dry frost-free place at 5-30°C and not in direct sunlight. Store in original container. Dispose of as normal industrial waste. The shelf life of this product is 12 months.

DILUTIONS

Contains: Sodium hypochlorite 0.5% w/w
May fade coloured surfaces. Test on an inconspicuous area first.

Code: 257



PACK SIZES





750ml



VERSAN RTU

DISINFECTANT SPRAY FOR THE FOOD INDUSTRY


BACTERICIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|---|---|--|
|  | Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Staphylococcus aureus. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |
|  | Staphylococcus aureus, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |



YEASTICIDAL/FUNGICIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|--|--|---|
|  | Aspergillus brasiliensis, Candida albicans. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 30 Minutes |
|  | Candida albicans, Aspergillus brasiliensis. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |


SPORICIDAL EFFICACY PHASE

| TEST | ORGANISMS | TEST CONDITIONS |
|---|--|---|
|  | Bacillus cereus, Bacillus subtilis, Clostridium difficile. | Dirty (3,0 g/L bovine albumin + 3,0 ml/L sheep erythrocytes), 20 °C, 30 min |

Code: 257



pH in use



PACK SIZES



750ml

VERSAN RTU

DISINFECTANT SPRAY FOR HEALTHCARE

- Bactericidal, Fungicidal, Yeasticidal, Virucidal ready to use spray
- Broad spectrum surface disinfectant for use in the healthcare industry
- Sodium hypochlorite based
- Active against a wide range of pathogens including Staphylococcus Aureus and Poliovirus Type 1

USES

A highly effective disinfectant spray which can be used on a range of hard surfaces, including general hard surfaces such as floors and walls, worktops, counters, etc. in hospitals, care homes and other healthcare establishments.

Also effective for instrument disinfection (non metal).

DIRECTIONS


Use undiluted.

Application rate: 50 g/m³ once or twice daily in general use.
1-2 times/hour in busy areas.

Fields of use: Indoor and/or outdoor.

For surfaces which are heavily soiled, first clean with a degreaser, such as UBIK 2000 and rinse thoroughly. Apply 'Versan RTU' at the correct dilution.

Allow 5 minute contact time (15 minutes for action against Parvovirus).
Wash away with potable water.






Use disinfectants safely. Always read the label and product information before use. Store in a dry frost-free place at 5-30°C and not in direct sunlight. Store in original container. Dispose of as normal industrial waste. The shelf life of this product is 12 months.

DILUTIONS

Contains: Sodium hypochlorite 0.5% w/w
May fade coloured surfaces. Test on an inconspicuous area first.

Code: 257



PACK SIZES







750ml





VERSAN RTU

DISINFECTANT SPRAY FOR HEALTHCARE



BACTERICIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|---|---|--|
|  | Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Staphylococcus aureus. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |
|  | Staphylococcus aureus, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |
|  | Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Staphylococcus aureus. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |
|  | Staphylococcus aureus, Enterococcus hirae, Pseudomonas aeruginosa. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |


YEASTICIDAL/FUNGICIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|---|--|---|
|  | Aspergillus brasiliensis, Candida albicans. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 30 Minutes |
|  | Aspergillus brasiliensis, Candida albicans. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |
|  | Candida albicans, Aspergillus brasiliensis. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 5 Minutes |
|  | Candida albicans, Aspergillus brasiliensis. | Clean, 20 °C, 5 Minutes |




VIRUCIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|---|---|--|
|  | Adenovirus Type 5, Murine norovirus, Poliovirus Type 1. | Clean, 20 °C, 5 Minutes Dirty, 20 °C, 30 Minutes |
|  | Parvovirus. | Clean, 40 °C, 15 Minutes Dirty, 40 °C, 15 Minutes |

SPORICIDAL EFFICACY PHASE

| TEST | ORGANISMS | TEST CONDITIONS |
|---|--|--|
|  | Bacillus cereus, Bacillus subtilis, Clostridium difficile. | Dirty (3,0 g/L bovine albumin + 3,0 ml/L sheep erythrocytes), 20 °C, 30 min |

Code: 257



PACK SIZES



750ml

VERSAN RTU

DISINFECTANT SPRAY FOR VETERINARY HYGIENE

- Bactericidal, Fungicidal, Yeasticidal, Virucidal ready to use spray
- Broad spectrum surface disinfectant for use in the animal care industry
- Sodium hypochlorite based
- Active against a wide range of pathogens including Candida Albicans and Bovine Enterovirus Type 1

USES

A highly effective disinfectant spray which can be used on a range of hard surfaces, including general hard surfaces such as floors and walls.

Also effective for the disinfection of surfaces within vehicles which have been used to transport animals.

DIRECTIONS


Use undiluted.

Application rate: 50 g/m³ once or twice daily in general use.
1-2 times/hour in busy areas.

Fields of use: Indoor and/or outdoor.

For surfaces which are heavily soiled, first clean with a degreaser, such as UBIK 2000 and rinse thoroughly. Apply 'Versan RTU' at the correct dilution.

Allow 5 minute contact time (30 minutes for sporicidal action).
Wash away with potable water.





Use disinfectants safely. Always read the label and product information before use. Store in a dry frost-free place at 5-30°C and not in direct sunlight. Store in original container. Dispose of as normal industrial waste. The shelf life of this product is 12 months.

DILUTIONS

Contains: Sodium hypochlorite 0.5% w/w
May fade coloured surfaces. Test on an inconspicuous area first.

Code: 257



PACK SIZES





750ml


VERSAN RTU

DISINFECTANT SPRAY FOR VETERINARY HYGIENE


BACTERICIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|---|--|---|
|  | Enterococcus hirae, Proteus hauseri, Pseudomonas aeruginosa, Staphylococcus aureus. | Clean, 10 °C, 1 Minutes (3,0 g/L bovine albumin) Dirty, 10 °C, 5 Minutes (10 g/L skimmed milk) |
|  | Staphylococcus aureus, Proteus hauseri, Enterococcus hirae, Pseudomonas aeruginosa. | Clean, 10 °C, 5 Minutes (3,0 g/L bovine albumin) Dirty, 10 °C, 5 Minutes (10 g/L skimmed milk) |


YEASTICIDAL/FUNGICIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|---|--|---|
|  | Aspergillus brasiliensis, Candida albicans. | Dirty, 10 °C, 5 Minutes (10 g/L skimmed milk) |


VIRUCIDAL EFFICACY

| TEST | ORGANISMS | TEST CONDITIONS |
|---|---|---|
|  | Bovine enterovirus type 1 - ECBO virus strain LCR-4 (ATCC VR-248) | Dirty, 10 °C, 5 Minutes (10 g/L skimmed milk) |

Code: 257



pH in use



PACK SIZES



750ml