

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date first issue: 01/04/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : CARETEX Degrease

Product code : 362

Type of product : Detergent

Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Degreaser

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns UK Ltd. Rutland Street GB– Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43

info@christeyns.be - www.christeyns.com

Supplier

Christeyns Technologies Ltd.

Mazars, Block 3, Harcout Centre, Harcourt Road

IE-2 Dublin

Ireland

T+353 1 8146022

Manufacturer

Clover Chemicals Ltd Clover House Macclesfield Road SK23 7DQ Whaley Bridge – Derbyshire United Kingdom

T 01663 733114 - F 01663 733115

<u>info@cloverchemicals.com</u> - <u>www.cloverchemicals.com</u>

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral)	H302
Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 3	H412

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word : Danger

Contains : Ethoxylated Alcohol, Alcohol ethoxylate, 2-butoxyethanol, Terpene, monocyclic

Hazard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation.

> H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P391 - Collect spillage.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethoxylated Alcohol	CAS-no: 157627-86-6 Einecs nr: 500-337-8 REACH-no: Exempted (polymer)	30 – 60	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Alcohol ethoxylate	CAS-no: 160901-19-9 Einecs nr: 500-457-0 REACH-no: Exempted	10 – 30	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
2-butoxyethanol substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-no: 111-76-2 Einecs nr: 203-905-0 EG annex nr: 603-014-00-0 REACH-no: 01-2119475108- 36	10 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
(2-methoxymethylethoxy)propanol substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-no: 34590-94-8 Einecs nr: 252-104-2 REACH-no: 01-2119450011- 60	1 – 3	Not classified
Terpene, monocyclic	CAS-no: 5989-27-5 Einecs nr: 227-813-5 EG annex nr: 601-029-00-7 REACH-no: 01-2119529223-	1 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures

General advice : In all cases of doubt, or when symptoms persist, seek medical attention.

01/04/2021 (Issue date) EN (English) 2/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.

Skin contact : In case of faintness or symptoms of skin irritation appear, take medical advice. Wash off

with plenty of water. Immediately remove contaminated clothing or footwear.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion : Rinse mouth out with water. Do NOT induce vomiting. Immediately call a POISON

CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : Presents no particular risk when handled in accordance with good occupational hygiene

practice.

Acute effects skin : Causes skin irritation. May cause an allergic skin reaction.

Acute effects eyes : Causes serious eye damage.
Acute effects oral route : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Not applicable.

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not contaminate ground and surface water. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed

container for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : After use, container has to be completely emptied and closed. Emergency eye wash

fountains and safety showers should be available in the immediate vicinity of any potential

exposure.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep out of frost.

Material(s) to avoid : Never mix with other materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-butoxyethanol (111-76-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Butoxyethanol
IOEL TWA	98 mg/m³
IOEL TWA [ppm]	20 ppm

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

So ppm	2-butoxyethanol (111-76-2)		
Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Trefand - Occupational Exposure Limits Local name 2-Butosyethanol (EGBE) [Ethylene glycol monobulyl ether] OEL TWA [1] 98 mg/m² OEL STEL 26 mg/m² OEL STEL 26 mg/m² OEL STEL [ppm] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (indicative Occupational Exposure Limit Values) Local name 2-Butosyethanol WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) 246 mg/m³ Remark Sk (Can be absorbed through the skin. The assigned substances are those for which they are concerns that ethernal absorption will lead to systemic toxicity), BMCV (Biological monotroring guidance values are listed in Table 2) United Kingdom - Biological limit values Local name 2-Butosyethanol WEL STEL (OEL STEL) 240 mg/m³ Remark Sk (Can be absorbed through the skin. The assigned substances are those for which they are concerns that ethernal absorption will lead to systemic toxicity), BMCV (Biological monotroring guidance values are listed in Table 2) United Kingdom - Biological limit values Local name 2-Butosyethanol WEL STEL (DEL STEL) 240 mg/m² Sk (Can be absorbed through the skin. The assigned substances are those for which they are concerns that ethernal absorption will lead to systemic toxicity), BMCV (Biological monotroring guidance values are listed in Table 2) United Kingdom - Biological limit values Local name 2-Butosyethanol 2	IOEL STEL	246 mg/m³	
Regulatory reference 2-Butoxyethanol (EGBE) (Ethylene glycol monobutyl ether) OEL TWA [1] 98 mg/m² OEL TWA [2] 20 ppm OEL STEL 246 mg/m³ OEL STEL 269 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limits Values) Local name 2-Butoxyethanol WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [1] 124 mg/m² WEL TWA (OEL STEL) [246 mg/m² WEL STEL (OEL STEL) 246 mg/m² WEL STEL (OEL STEL) [250 ppm Remark Sk (Gan be absorbed through the skin. The assigned substances are those for which they are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monotroning guidance values are isled in Table 2) WEL STEL (OEL STEL) [246 mg/m² WEL STEL (OEL STEL) [250 ppm Remark Sk (Gan be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monotroning guidance values are isled in Table 2) EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mno/mon Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE EU-Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol OEL TWA (1) 308 mg/m³ OEL TWA (2) 50 ppm Remark Skin Regulatory reference (2-Methoxymethylethoxy)-propanol OEL TWA (1) 308 mg/m³ OEL TWA (2) 50 ppm Remark Skin McMission DIRECTIVE 2000/39/EC (COMMISSION Directive 2001/39/EC (Commission Directive 2001/39/EC (Commission Directive 2001/39/EC (Commission Directive 200	IOEL STEL [ppm]	50 ppm	
Ireland - Occupational Exposure Limits Local name 2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether] OEL TWA [2] 20 ppm OEL STEL 246 mg/m³ OEL STEL 250 ppm OEL STEL 260 mg/m³ OEL STEL 260 mg/m³ OEL STEL 270 ppm OEL STEL 280 mg/m³ OEL STEL 280 mg/m³ OEL STEL 280 mg/m³ OEL STEL 280 mg/m³ OEL OTHER (St. St. St. St. St. St. St. St. St. St.	Remark	Skin	
Local name 2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether] OEL TWA [1] 98 mgm³ OEL STEL 246 mgm³ OEL STEL [ppm] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits Local name 2-Butoxyethanol WEL TWA (OEL TWA) [1] WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) [ppm] So ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference 12-Butoxyethanol BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference 12-Butoxyethanol BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift BMGV 25 ppm Remark 86 ppm Regulatory reference 12-Methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol OEL TWA 308 mg/m³ OEL TWA 308 mg/m³ OEL TWA 308 mg/m³ OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits Original Agents Code of Practice 2021	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
OEL TWA [1] 98 mg/m³ OEL WA [2] 20 ppm OEL STEL 246 mg/m³ OEL STEL 50 ppm Remark 60 ppm Remark 70 pp	Ireland - Occupational Exposure Limits		
OEL STEL OEL STEL 246 mg/m³ OEL STEL STEL 246 mg/m³ OEL STEL SER GRAY SK (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits Local name 2-Butoxyethanol WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) [2ppm] 50 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2006 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium; urine - Sampling time: Post shift Regulatory reference (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol OEL TWA 308 mg/m³ So ppm Remark Skin Regulatory reference (COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRE	Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]	
OEL STEL [ppm] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits Local name 2-Butoxyethanol VEL TWA (OEL TWA) [1] 123 mg/m³ WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) 50 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological momolioning guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urrine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE U- indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)propanol (34590-94-8) EU- indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA [1] 308 mg/m³ Sop pm Remark Skin Regulatory reference (COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIV	OEL TWA [1]	98 mg/m³	
SO ppm Remark So (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits Local name 2-Butoxyethanol 123 mg/m³ WEL TWA (OEL TWA) [1] 123 mg/m³ WEL STEL (OEL STEL) WEL STEL (OEL STEL) So ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference United Kingdom - Biological limit values Local name 2-Butoxyethanol 3-Bufoy 2-Butoxyethanol 3-Bufoy 3-Butoxyethanol 3-Bufoy 3-Butoxyethanol 3-Butoxyethanol 2-Butoxyethanol 3-Butoxyethanol 3-B	OEL TWA [2]	20 ppm	
Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits Local name 2-Butoxyethanol WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m² WEL STEL (OEL STEL) 50 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmol/moll Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m² 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC	OEL STEL	246 mg/m³	
contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits Local name 2-Butoxyethanol WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) [ppm] 85 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Iroland - Occupational Exposure Limits 2-K(substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit (Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	OEL STEL [ppm]	50 ppm	
United Kingdom - Occupational Exposure Limits Local name 2-Butoxyethanol WEL TWA (OEL TWA) [1] WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) WEL STEL (OEL STEL) WEL STEL (OEL STEL) [ppm] Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol 3-Butoxyethanol 2-Butoxyethanol 2-Butoxyethanol 3-Butoxyethanol 3-Butoxyethanol 3-Butoxyethanol 2-Butoxyethanol 3-Butoxyethanol 3-But	Remark	contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure	
Local name 2 - Butoxyethanol WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) WEL STEL (OEL STEL) So ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2 - Butoxyethanol BMGV 240 mmo/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA (308 mg/m² Sol ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSI	Regulatory reference	Chemical Agents Code of Practice 2021	
WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m³ WEL STEL (OEL STEL) 50 ppm Remark 60 ppm Remark 60 ppm Remark 60 ppm Remark 70 ppm Rema	United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 246 mg/m³ Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmo/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [309 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-i-propanol OEL TWA [1] 308 mg/m³ OEL TWA [1] 308 mg/m³ Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	Local name	2-Butoxyethanol	
WEL STEL (OEL STEL) WEL STEL (OEL STEL) WEL STEL (OEL STEL) [ppm] So ppm So ppm So (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Solutioname (2-Methoxymethylethoxy)-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] So ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	WEL TWA (OEL TWA) [1]	123 mg/m³	
WEL STEL (OEL STEL) [ppm] 50 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmo/l/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol OEL TWA 308 mg/m³ IOEL TWA [308 mg/m³ Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Streland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	WEL TWA (OEL TWA) [2]	25 ppm	
Remark Sk (Can be absorbed through the skin. The assigned substances are those for which the are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Biological limit values Local name 2-Butoxyethanol BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2	WEL STEL (OEL STEL)	246 mg/m³	
are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2) Regulatory reference	WEL STEL (OEL STEL) [ppm]	50 ppm	
United Kingdom - Biological limit values Local name 2-Butoxyethanol 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Somptime of the post of the pos	Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological	
Local name 2-Butoxyethanol 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-l-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift Regulatory reference EH40/2005 (Fourth edition, 2020). HSE (2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	United Kingdom - Biological limit values		
Post shift	Local name	2-Butoxyethanol	
(2-methoxymethylethoxy)propanol (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	BMGV		
Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [ppm] So ppm Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-i-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] So ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Local name (2-Methoxymethylethoxy)-propanol IOEL TWA 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] So ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	(2-methoxymethylethoxy)propanol (34590-94-8)		
IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	Local name	(2-Methoxymethylethoxy)-propanol	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	IOEL TWA	308 mg/m³	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-I-propanol OEL TWA [1] OEL TWA [2] Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	IOEL TWA [ppm]	50 ppm	
COMMISSION DIRECTIVE 2000/39/EC	Remark	Skin	
Local name (2-Methoxymethylethoxy)-l-propanol OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	Regulatory reference		
OEL TWA [1] OEL TWA [2] So ppm Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
OEL TWA [2] Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	Local name	(2-Methoxymethylethoxy)-l-propanol	
OEL TWA [2] Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	OEL TWA [1]	308 mg/m³	
contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 United Kingdom - Occupational Exposure Limits	OEL TWA [2]	50 ppm	
United Kingdom - Occupational Exposure Limits	Remark	contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure	
	Regulatory reference	Chemical Agents Code of Practice 2021	
	United Kingdom - Occupational Exposure Limits		
Local name (2-methoxymethylethoxy) propanol	Local name	(2-methoxymethylethoxy) propanol	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-8)		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields (EN 166)

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure good ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic	physical and chemical properties
Physical state	: Liquid

Colour : Colourless. Physical state/form : Liquid. : Characteristic. Odour Odour threshold : Not available Melting point/range : Not available : Not available Freezing point Boiling point/Boiling range : ≥ 100 °C Flammability : Not available **Explosive limits** : Not available Lower explosion limit : Not available : Not available Upper explosion limit Flash point : > 92 °C Autoignition temperature : Not available Decomposition temperature : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH : 8.2

Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : 0.96 kg/l Relative density : Not available Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 16.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Never mix with other materials.

LD50 dermal rabbit

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified	
CARETEX Degrease		
ATE CLP (oral)	659.977 mg/kg bodyweight	
Ethoxylated Alcohol (157627-86-6)		
LD50 oral rat	300 – 2000 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg	
2-butoxyethanol (111-76-2)		
LD50 oral rat	1300 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat [ppm]	4500	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l	
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h	
(2-methoxymethylethoxy)propanol (34590-94-8)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	13000 – 14000 mg/kg	
Terpene, monocyclic (5989-27-5)		
LD50 oral rat	> 4400 mg/kg	

> 5000 mg/kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Causes skin irritation.

pH: 8.2

Serious eye damage/irritation : Causes serious eye damage.

pH: 8.2

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

IARC group 3 - Not classifiable

Terpene, monocyclic (5989-27-5)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

NOEC (chronic)

Hazardous to the aquatic environment, short–term : Ve

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Very toxic to aquatic life.

: Harmful to aquatic life with long lasting effects.

(GITOTIO)		
Ethoxylated Alcohol (157627-86-6)		
LC50 - Fish [1]	1 – 10 mg/l	
EC50 - Crustacea [1]	1 – 10 mg/l	
ErC50 other aquatic plants	1 – 10 mg/l	
Alcohol ethoxylate (160901-19-9)		
LC50 - Fish [1]	0.1 – 1 mg/l (Danio rerio - OESO 203 - ECHA)	
EC50 - Crustacea [1]	0.1 – 1 mg/l (Daphnia magna - ECHA)	
ErC50 algae	0.1 – 1 mg/l	
NOEC chronic fish	> 0.1 mg/l	
NOEC chronic algae	0.14 mg/l (CESIO)	
2-butoxyethanol (111-76-2)		
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1550 mg/l Daphnia magna	
EC50 72h - Algae [1]	1840 mg/l	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic crustacea	100 mg/l Daphnia magna	
NOEC chronic algae	130 mg/l	
(2-methoxymethylethoxy)propanol (34590-94-8)		
EC50 - Crustacea [1]	1.919 mg/l	
ErC50 other aquatic plants	> 969 mg/l	
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	

≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
Terpene, monocyclic (5989-27-5)		
LC50 - Fish [1]	0.8 mg/l (Pimephales promelas)	
EC50 - Crustacea [1]	69.8 mg/l	
ErC50 algae	150 mg/l	
2.2. Persistence and degradability		
CARETEX Degrease		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Ethoxylated Alcohol (157627-86-6)		
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.	
Biodegradation	≥ 90 % (mod. OECD 303A)	
Alcohol ethoxylate (160901-19-9)		
Persistence and degradability	Readily biodegradable.	
2-butoxyethanol (111-76-2)		
Persistence and degradability	Biodegradable.	
Terpene, monocyclic (5989-27-5)		
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
Ethoxylated Alcohol (157627-86-6)		
Partition coefficient n-octanol/water (Log Kow)	< 4	

Partition coefficient n-octanol/water (Log Kow)	< 4		
Alcohol ethoxylate (160901-19-9)			
Partition coefficient n-octanol/water (Log Kow)	< 4 Not applicable		
Bioaccumulative potential	No bioaccumulation.		
2-butoxyethanol (111-76-2)			

Log Pow

(2-methoxymethylethoxy)propanol (34590-94-8) 0.004 (25 °C; pH 7,5 - 7,7) (OECD 107)

8.0

Log Pow

Terpene, monocyclic (5989-27-5)	
BCF - Fish [1]	683.1
Log Pow	4.38
Bioaccumulative potential	Potentially bioaccumulable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

01/04/2021 (Issue date) EN (English) 8/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA	
14.1. UN number or ID number			
UN 3082	UN 3082	UN 3082	
14.2. UN proper shipping name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	
Transport document description			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty alcohol ethoxylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty alcohol ethoxylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Fatty alcohol ethoxylate), 9, III	
14.3. Transport hazard class(es)			
9	9	9	

14.4. Packing group			
III	III	III	
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	
No supplementary information available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I

Packing instructions (ADR) : P001, IBC03, LP01, R001

: TP1, TP29

90

3082

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)
Hazard identification number (Kemler No.) : 90

Hazard identification number (Kemler No.) : 90
Orange plates :

Tunnel code : EAC code : •3Z

Transport by sea

Special provisions (IMDG): 274, 335, 969Packing instructions (IMDG): P001, LP01Special packing provisions (IMDG): PP1

01/04/2021 (Issue date) EN (English) 9/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197 **14.7. Maritime transport in bulk according to IMO instruments**Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 16.5 %

Allergenic fragrances > 0,01%:

Terpene, monocyclic

Detergent Regulation (648/2004/EC): Labelling of contents:		
Component	%	
non-ionic surfactants	≥30%	
perfumes		
(R)-P-MENTHA-1,8-DIENE; D-LIMONENE		

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ErC50 (algae)	ErC50 (algae)	
IATA	International Air Transport Association	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

Other information

: It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products.

This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsable for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.