

Safety Data Sheet

according to Regulation (EU) 2015/830 Date first issue: 01/08/2008 Review date: 07/02/2023 Supersedes version of: 23/02/2022 Version: 7.3

SECTION 1: Ide 1.1. Product iden	entification of the substance/r	nixt	ure and of the company/	undertaking	
Product form	: Mix	ture			
Product name	: CIT	ิ RUS	S DEGREASER		
Product code	: 714	ŧ			
Type of product	: Sol	vent	S		
Product group	: Mix	ture			
1.2. Relevant ide	ntified uses of the substance or	mixt	ture and uses advised agair	nst	
1.2.1. Relevant ider	ntified uses				
Main use category	: Pro	fess	ional use,Industrial use		
Industrial/Professior	•		al fessional use only		
Use of the substanc	Sol	anin vent greas	-		
1.2.2. Uses advised	d against				
No additional inform	ation available				
1.3. Details of the	e supplier of the safety data shee	ŧ			
Manufacturer			Supplier		
Clover Chemicals Lt Clover House Maccl SK23 7DQ Whaley I United Kingdom T 01663 733114 - F info@cloverchemica	esfield Road Bridge – Derbyshire		Christeyns NV Afrikalaan 182 9000 GENT Belgium T +32 (0)9/ 223 38 71 <u>info@christeyns.be</u> - <u>w</u>	- F +32 (0)9/ 233 03 44 /ww.christeyns.com	
1.4. Emergency t	elephone number				
Country	Official advisory body		Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital		PO Box 1297 Beaumont Road	+353 1 809 2566 (Healthcare professionals-	

ocumity	official advisory body	Addiooo	Emergency number	oommone
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

# **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin sensitisation, Category 1 H317 Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects No additional information available

# 2.2. Label elements

Label	lin	g	accordi	ng to Regulation (EC) No. 1272/2008 [CLP]	

Hazard pictograms (CLP)



: Danger

CLP Signal word Contains Hazard statements (CLP)

: Premium White Spirit / Odourless Kerosine; D-Limonene; ALPHA PINENE

: H304 - May be fatal if swallowed and enters airways.

H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulation (EU) 2015/830

Precautionary statements (CLP)	<ul> <li>P102 - Keep out of reach of children.</li> <li>P261 - Avoid breathing fume.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear eye protection, protective gloves.</li> <li>P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do NOT induce vomiting.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> </ul>

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances  $\ge 0.1\%$  assessed in accordance with REACH Annex XIII

## **SECTION 3: Composition/information on ingredients**

3.1. Substances

Not applicable

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Premium White Spirit / Odourless Kerosine	CAS-no: 64742-47-8 Einecs nr: 265-149-8 EG annex nr: 649-422-00-2	≥ 60	Asp. Tox. 1, H304
D-Limonene	CAS-no: 5989-27-5 Einecs nr: 227-813-5 EG annex nr: 601-096-00-2	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine	CAS-no: 84961-74-0 Einecs nr: 284-664-9	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Inhalation : Move the affected person away from the contaminated area and into the fresh air. Allow affected person to breathe fresh air. Allow the victim to rest. Administer oxygen if breathing is difficult. Get immediate medical advice/attention. Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get immediate medical advice/attention. : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Ingestion 4.2. Most important symptoms and effects, both acute and delayed Acute effects inhalation : Inhalation may cause irritation, cough, shortness of breath. Acute effects skin : mild skin irritation. Red skin. May cause an allergic skin reaction. Acute effects eyes : Causes serious eye irritation. Redness. Acute effects oral route : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# SECTION 5: Firefighting measures

# **5.1. Extinguishing media** Suitable extinguishing media

: Dry powder. Carbon dioxide.

# Safety Data Sheet

according to Regulation (EU) 2015/830

according to Regulation (EU) 2015/830	
5.2. Special hazards arising from the substant Hazardous decomposition products in case of fire	ance or mixture : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting an chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protectio
SECTION 6: Accidental release measur 6.1. Personal precautions, protective equip	
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	uthorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containment	
For containment	: Large spills: Contain and collect for disposal.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Section 8. Exposure controls and personal prot	ection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling Additional hazards when processed	: Avoid all unnecessary exposure.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking o
Frecautions for sale handling	smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including a Storage conditions	any incompatibilities : Store in a cool, well-ventilated place. Keep container tightly closed. Keep away from ignition sources. Keep only in original container.
Packaging materials	: Keep in original containers.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/person 8.1. Control parameters	al protection
8.1.1 National occupational exposure and biolog No additional information available	ical limit values
8.1.2. Recommended monitoring procedures No additional information available	
8.1.3. Air contaminants formed No additional information available	
8.1.4. DNEL and PNEC No additional information available	
8.1.5. Control banding	
No additional information available 8.2. Exposure controls	
-	
8.2.1. Appropriate engineering controls	

# Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

# Safety Data Sheet

according to Regulation (EU) 2015/830

### Personal protective equipment symbol(s):



# 8.2.2.1. Eye and face protection Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection Protective equipment: Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### Other skin protection

Materials for protective clothing: Solvent-resistant gloves

### 8.2.2.3. Respiratory protection

### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

# 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Physical state/form	: Liquid.
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point/range	: -20 °C
Freezing point	: No data available
Boiling point/Boiling range	: 200 – 280 °C
Flash point	: 70.5 °C
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 0.823
Solubility	: Miscible with water. Soluble in organic solvents.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

# Safety Data Sheet

according to Regulation (EU) 2015/830

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

10.1. Reactivity
No additional information available
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Heat. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong oxidizing agents.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Premium White Spirit / Odourless Keros	sine (64742-47-8)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 5.28 mg/l/4h
D-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
Benzenesulfonic acid, 4-C10-13-sec-alk	yl derivs., compds. with 2-propanamine (84961-74-0)
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure), Guideline: OECD Guideline 420 (Acute Ora Toxicity - Fixed Dose Method)
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Benzenesulfonic acid, 4-C10-13-sec-alk	yl derivs., compds. with 2-propanamine (84961-74-0)
LOAEL (oral, rat, 90 days)	145 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	85 mg/kg bodyweight Animal: rat
NOAEC (inhalation, rat, vapour, 90 days)	0.1 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Aspiration hazard	: May be fatal if swallowed and enters airways.

# Safety Data Sheet

according to Regulation (EU) 2015/830

Premium White Spirit / Odourless Kerosine	
Viscosity, kinematic	2 mm²/s
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
SECTION 12: Ecological information	
<b>12.1. Toxicity</b> Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term	: Not classified
(acute) Hazardous to the aquatic environment, long-term	: Harmful to aquatic life with long lasting effects.
(chronic) Not rapidly degradable	
Premium White Spirit / Odourless Kerosine	(64742-47-8)
LC50 - Fish [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC (acute)	0.1 – 1 mg/l
NOEC (chronic)	1 – 10 mg/l
D-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Benzenesulfonic acid, 4-C10-13-sec-alkyl de	erivs., compds. with 2-propanamine (84961-74-0)
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	7.1 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitata
EC50 72h - Algae [2]	18.9 mg/l Desmodesmus subspicatus
EC50 96h - Algae [1]	29 mg/l Pseudokirchneriella subcapitata
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.63 mg/l 196 days, Pimephales promelas (Fat-head Minnow)
NOEC chronic crustacea	1.18 mg/l Daphnia magna (Water flea)
12.2. Persistence and degradability	
CITRUS DEGREASER	
Persistence and degradability	Biodegradable.
Benzenesulfonic acid, 4-C10-13-sec-alkyl de	erivs., compds. with 2-propanamine (84961-74-0)
Biodegradation	81.21 % 10 days
12.3. Bioaccumulative potential	
CITRUS DEGREASER	No. 12
Bioaccumulative potential	No bioaccumulation.
Premium White Spirit / Odourless Kerosine	
Log Pow	6 - 8.2
Benzenesulfonic acid, 4-C10-13-sec-alkyl de	erivs., compds. with 2-propanamine (84961-74-0)
Bioconcentration factor (BCF REACH)	500

# Safety Data Sheet

according to Regulation (EU) 2015/830

### 12.4. Mobility in soil

No additional information available 12.5. Results of PBT and vPvB assessment

### **CITRUS DEGREASER**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### **12.6. Other adverse effects** Additional information

: Avoid release to the environment.

# **SECTION 13: Disposal considerations**

<b>13.1. Waste treatment methods</b> Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Waste / unused products	: Avoid release to the environment. Hazardous waste due to toxicity.
HP Code	<ul> <li>: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.</li> <li>HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment</li> </ul>

#### SECTION 14: Transport information In accordance with ADR / IMDG / IATA

ADR	IMDG	ΙΑΤΑ
14.1. UN number		
Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name	· · · · · · · · · · · · · · · · · · ·	
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available	I	

# 14.6. Special precautions for user

Overland transport

Not regulated

#### Transport by sea

Not regulated

Air transport

Not regulated

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

# REACH Annex XIV (Authorisation List) Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# Safety Data Sheet

according to Regulation (EU) 2015/830

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of H- and	Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 3	uatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	9 Causes serious eye irritation.		
H400	00 Very toxic to aquatic life.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1B	Skin Sens. 1B Skin sensitisation, category 1B		

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Sens. 1	H317	Calculation method
Asp. Tox. 1	H304	Expert judgment
Aquatic Chronic 3	H412	Calculation method
Ostatu Bata Ohaat (ODO) EU		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.